

Nickel at Wilmington

This page was updated on April 28, 2003

Summary Statistics				
<i>Month</i>	<i>Number of Samples</i>	<i>Minimum (ng/m3)</i>	<i>Maximum (ng/m3)</i>	<i>Average (ng/m3)</i>
May-01	3	2.7	9.8	6.3
June-01	3	6.0	9.7	7.8
July-01	5	5.4	9.7	7.3
August-01	5	5.8	9.3	7.7
September-01	5	7.2	21.0	11.9
October-01	5	2.2	20.0	10.3
November-01	5	6.1	27.0	15.1
December-01	5	2.5	16.0	6.2
January-02	4	4.1	25.0	12.4
February-02	4	6.5	24.0	16.6
March-02	5	4.7	19.0	10.4
April-02	4	3.8	16.0	10.7
May-02	5	3.3	18.0	10.9
June-02	5	6.3	20.0	11.4
July-02	5	7.0	24.0	13.6
Summary	Total	Minimum	Maximum	Average
	68	2.2	27.0	10.6

* Blank cells indicate data are not available yet.

** The lowest concentration that can be measured (LOD) is 2 nanograms per cubic meter (ng/m3) through June 2002, and starting in July 2002 the LOD is 1 ng/m3. Values below the LOD are set to 0.5 * LOD.